# AUTHOR INDEX


Ahmad, R., *see* Wahhab, A.
Ahmed, I. A., goats, Baladi, Egyptian. II, mortality rate, 104–8; *see also* Tantawy, A. O.
Aitken, Yvonne, *see* Tribe, D. E.

Boniwell, B. A., *see* Tribe, D. E.
Brown, D. L., cattle, Nguni breed, in South Africa. II, mortality, grazing behaviour, beef production, 44–52.
Burrage, J. C., cacao, yield maps and soil fertility, in Ghana, 327–34.

Caswell, G. H., maize, grain, fumigated, effect of moisture content on germination and growth, 139–44.
Chant, S. R., cowpeas, tobacco mosaic and cowpea yellow mosaic viruses, effect on, in Nigeria, 114–20.
Clayton, E. S., labour use and farm planning in Kenya, 83–93.
Clifford, H. T., *see* Caswell, G. H.
Clinton, P. K. S., groundnuts, seed-bed pathogens, in Sudan, and attempted control with artificial testa, 211–22; sorghum, pests and diseases of, control of, in Sudan Central Rainlands, 294–304.
Cunningham, R. K., *see* Burrage, J. C.

Dennison, E. B., land tenure, changes in, effects on farming and soil fertility, in Northern Nigeria, 94–98.
Dermott, W., *see* Rose, T. H.
Dunlop, A. A., sheep, merino, selection of, relative economic weights applicable to some wool traits, 201–10.
Dutta, S. K., tea culture, manuring of green crops used in, 53–58; tea experiments, size, shape, and number of plots, 121–33.

Gokhale, N. G., tea, manuring of, change in yield on altering level, 315–26.

Heath, E. D., *see* Dutta, S. K.
Hutton, E. M., legumes, tropical pasture, flowering and pollination, 235–43.

Jameson, J. D., soil fertility, maintenance, in Uganda. I, experiment at Serere, 179–92.
Jennings, D. L., cassava, virus diseases of. I, mosaic, 23–34; II, brown streak, 261–70.
Jones, P. A., coffee, fertilizers, manure, mulch, in growing of, in Kenya, 335–52.
Joy, J. L., cotton farming, mechanized, economic aspects, in Uganda, 222–34.

Kamar, G. A. R., fowl sperm. I, variability after storage; II, abnormalities, seasonal variation in, 16–22.
Kerkham, R. K., *see* Jameson, J. D.

Lea, J. D., *see* Joy, J. L.

McCreery, R. A., abaca, mineral content, in relation to fertilizer use, in Costa Rica, 305–14.
Mahadevan, P., buffalo, water, genetic parameters of, 99–103.
Marshall, W. A. B., rice, weeds in, post-emergence herbicides for control of, in Trinidad, 244–54.
Morley, C. E. J., *see* Marshall, W. A. B.

Piggott, C. J., groundnuts, yield and quality, effect of fertilizers on, in Sierra Leone, 59–64.

Rishbeth, J., bananas, wilt (Panama disease), 109–14.
Roberts, E. H., rice, seedlings, effect of BHC on growth, 133–8.
Robinson, J. B. D., *see* Jones, P. A.
Rose, T. H., micronutrients, deficiencies, in Romney Marsh, 281–93.
Rosher, P. H., *see* Marshall, W. A. B.

Sandison, A., cereals, lists of recommended varieties, 255–60.
Sharma, K. N., *see* Dutta, S. K.
Stephens, D., fertilizer trials on peasant farms in Ghana, 1–15; experiments with phosphorus, nitrogen, and sulphur fertilizers, in Ghana, 151–64; fallows, grass, and fertilizers, rotation experiments with, 165–78.

Tantawy, A. O., goats, Baladi, Egyptian. I, multiple births, frequency of, and sex ratios, 74–82; *see also* Ahmed, I. A.
Thresh, J. M., cacao, swollen-shoot disease, effect of, influence of capsids, in Nigeria, 193–200.
Tribe, D. E., lambs, fattening, in seasons of low rainfall, fodder crops for, 271–80.

Wahhab, A., cotton, manuring, in Pakistan. II, date of sowing, irrigation, spacing, manuring, effects on yield, 35–43; III, manuring, rate and kind, and date of sowing, effects on yield, 65–73; IV, source of nitrogen, effect on yield, 145–50.
Wallis, J. A. N., *see* Jones, P. A.

Young, S. S. Y., *see* Dunlop, A. A.

# SUBJECT INDEX


Abaca, mineral content, in relation to fertilizer use, in Costa Rica, 305–14; fertilizer treatments and crop yields, 306; analytical results: leaf blades, 307; midribs, 308; flower and fruit, 308; petioles, 309; comparison with bananas, 310.

Australia, *see* feedingstuffs and fodder crops; pasture legumes; sheep.

Bananas: wilt (Panama disease), factors affecting, 109–13; glasshouse experiments, 109; field observations, 112; *see also* abaca.

Beans, *see* farm management.

Buffaloes: water buffalo, genetic parameters, 99–103; milk yield, repeatability, 100; heritability, 101; *see also* cattle.

Cacao: swollen shoot disease, influence of capsids on effects of, in Nigeria, 193–200; growth and yield, where capsids not controlled, 194; capsids controlled, 195; yield maps and soil fertility, in Ghana, 327–34; soil sampling and analysis, 328; yield contour maps, 330.

Cassava: virus diseases, resistant and susceptible varieties, mosaic, 23–34; resistance in field trials, 23; in different localities, 26; effect of cutting back, 26; of checks in growth, 27; occurrence and distribution in symptom-free plants, 28; brown streak, 261–70; distribution, 262; seasonal temperature, effect of variation of, 263; symptom expression, 264; correlation between mosaic and brown streak, 267.

Cattle: Nguni breed, in South Africa, 44–52; mortality, 44; behaviour during grazing, 46; as a beef producer, 48.

Cereals: varieties, recommended lists, in U.K., 255–60; oats, 257; wheat, 258; barley, 259; *see also* maize; millet; rice; sorghum.

Coffee: fertilizers, manure, mulch, in Kenya, 335–52; phosphorus fertilizers, 336; nitrogen fertilizers, rates, 338; forms, 339; time of application, 340; method of application, 341; cattle manure, 341; and nitrogen, 343; and mulch, 344; mulch, 344; and potassium+magnesium, 345; and nitrogen, 346; nutrients removed in crop, 346; micronutrients, 348; quality, 348.

Costa Rica, *see* abaca.

Cotton: manuring, in West Pakistan, effects of date of sowing, irrigation, spacing, rate of manuring, on yield, 35–43; effect of rate and kind of manuring, date of sowing, 65–73; influence of weather conditions, 71; effect of source of nitrogen, 145–50; economics, 147; time and method of application, nitrogen metabolism in relation to, 148; *see also* farm management.

Cowpeas: viruses, effects on growth and yield, in Nigeria, 114–20; leaf area and fresh and dry weights, 115; time of infection, on leaf area and pod weight, 117.

Diseases and pests of plants, *see* bananas; cacao; cassava; cowpeas; groundnuts; maize; rice; sorghum; weed control.

East Africa, *see* Kenya; Uganda.

Egypt, *see* poultry, fowl sperm; goats.

Farm management: labour use and farm planning, in Kenya, 83–93; labour requirements, for crops and stock, 84; total labour needs, 88; cotton farming, mechanized, economic aspects, in Uganda, 223–34; tractor output and costs, 224; labour, 225; yields, 227; prices, 228; breakeven, net, and isorevenue charts, 229; achievement of high net returns, 231; most profitable crops, 232; relative profitability, 232.

Feedingstuffs and fodders: fodder crops, for fattening lambs, in low rainfall seasons, 271–80; palatability, 276; crop growth and response to N fertilizers, 277; animal growth, 278; *see also* pasture legumes.

Fertilizers, *see* manures and fertilizers.

Fertilizer trials in Ghana: on peasant farms, 1–15; groundnuts, 1; millet and guinea corn, 5; yams, 7; rice, 8; maize, 12; cassava, 14; analysis of soils, 14; with phosphorus, nitrogen, and sulphur, 151–64; phosphatic fertilizers, different forms, 153; method of application, 158; residual effects, 159; nitrogen fertilizers, different forms, 160; sulphur deficiency, 161; grass fallows and fertilizers, in rotations, 165–78.

Ghana, *see* cacao; fertilizer trials.

Goats, Egyptian Baladi, multiple births and sex ratios, 72–82; genetic parameters, 77; environmental parameters, 78; mortality, 104–8; effect of birth weight, 105; dam's weight and age, 106; sex and type of birth, 107; season and year, 107.

Groundnuts: yield and quality, effect of fertilizers, in Sierra Leone, 59–64; phosphorus, potassium, lime, magnesium, 60; seed-bed pathogens, control of, in Sudan, 211-22; causes of loss, 211; application of an artificial testa, 217; seed dressings, 219; *see also* farm management; fertilizer trials.

India, *see* buffaloes; tea.

Kenya, *see* coffee; farm management.

Land tenure, effects of changes on farming and soil fertility, in N. Nigeria, 94–98; communal ownership, 96; tenant farmers, 96; freehold possession, 97.

Maize: grain, fumigated, germination and growth, effect of moisture content, 139–44; germination, 140; seedling height, 140; fresh weight, 142; *see also* farm management; fertilizer trials.
Manures and fertilizers, *see* abaca; coffee; cotton; fertilizer trials; groundnuts; tea.
Micronutrient deficiencies: in arable crops, in Romney Marsh, 281–93; wheat, 289; peas, 289; potatoes, 293; *see also* coffee.
Millet and guinea corn, *see* fertilizer trials.

Nigeria, *see* cacao; cowpeas; land tenure.

Pakistan, *see* cotton.
Pasture legumes: tropical, flowering and pollination, 235–43; *Indigofera spicata*, 237; *Phaseolus lathyroides*, 237; *Desmodium uncinatum*, 238; humidity and temperature, 239; pollen germination on artificial medium, 239; on emasculated stigmas, 241.
Poultry: fowl sperm, variability, 16–22; after storage, 16; abnormalities, seasonal, 18.

Rice, growth of seedlings, effect of gamma BHC, 133–8; *see also* fertilizer trials; weed control.

Sheep: merino, selection of, wool traits, relative economic weights, 201–10; 'normal' seasons, 204; the main attributes, 205; *see also* pasture legumes.
Sierra Leone, *see* groundnuts.
Soils: soil fertility, maintenance of, in Uganda, 179–92; rotation experiment, design, 180; field procedure, 181; interpretation of results, 182; crop–rest sequence, 185; type of rest, 187; farmyard manure, 188; environmental effects, management, 189; ant-hills, 189; subsistence, in crowded areas, 190; in tsetse country, 191; mixed farming for profit, 191; *see also* cacao; micronutrient deficiencies.
Sorghum, pests and diseases of, control, in Sudan, 294–304; effects of fungicides on smuts, 294; on leaf spots, 294; on *Sclerotium bataticola*, 295; central shoot fly, 296; effects of insecticides on, 297; losses in population, 298; use of seed dressings, 300.
Sudan, *see* groundnuts; sorghum.

Tea: green crops used in culture of, manuring, 53–58; *Crotalaria anagyroides*, growth characters, effects of calcium, phosphorus, potassium, 55; shoots and roots, 56; loppings, 56; seed, 57; field experiments, size, shape, and number of plots, 121–32; design, 122; variation between and within clones, 123; plot size, and shape, variation, 124; number of replications required, 127; yield, change in, on altering level of manuring, 315–26; method of estimating, 316; effects on yield, from cattle manure, 318; from fertilizers, 319; yield/time curve, 322.
Trinidad, *see* weed control.

Uganda, *see* farm management; soil fertility.
Union of South Africa, *see* cattle.

Weed control: in rice, post-emergence herbicides, in Trinidad, 244–54; kinds of weeds, 245; herbicides tested, 245; effects on rice seedlings, 248; on tillering, 249; on yield, 250.
West Africa, *see* Ghana; Nigeria; Sierra Leone.
West Indies, *see* Trinidad.

Yams, *see* fertilizer trials.